




- 1 Symbol 2 Seater Right Arm
- 2 Symbol 90° Curve Sofa
- 3 Symbol 2 Seater No Arms
- 4 Symbol 2 Seater Left Arm
- 5 Always Lounge Chair
- 6 Trace Coffee Table

# symbol

## Modular Seating



- 7 Symbol 180° Bench
- 8 Symbol External 45° Curved Sofa
- 9 Symbol 45° Curved Seat



Symbol Modular Seating designed by naughtone 2016

### About Symbol

The Symbol seating and table range has a pared-down aesthetic, designed to feel like part of the architecture and provide building blocks for furniture landscapes.


Symbol has a firm upright sit and compact dimensions and with the addition of the upholstered table, is perfect for modern commercial environments where space is a premium and the furniture must look after itself.

Available with a wide range of leg options as standard and naughtone's wide fabric selection, Symbol is the perfect base for a commercial furniture plan.


### Compliance

- SCS Indoor Advantage™ Gold Certificate
- FSC®certified products available upon request
- naughtone is FISP and ISO14001 certified
- Our seating is designed to meet or exceed all EN performance requirements per BS EN 16139:2013


**Sizes** All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch




**SYM90D**  
Symbol 90° Curve Sofa  
mm  
W 1825 D 865 H 685 Seat 410  
inch  
W 72 D 34 H 27 Seat 16




**SYM90BEN**  
Symbol 90° Curve Bench  
mm  
W 1620 D 695 H 410 Seat 410  
inch  
W 62 D 27.5 H 16 Seat 16




**SYM45D**  
Symbol External 45° Curve Sofa  
mm  
W 1200 D 690 H 685 Seat 410  
inch  
W 47 D 27 H 27 Seat 16



**SYM45D**  
Symbol 45° Curve Seat  
mm  
W 1020 D 690 H 685 Seat 410  
inch  
W 40 D 27 H 27 Seat 16




**SYMQBEN**  
Symbol Quarter Circle Bench  
mm  
W 690 D 690 H 410 Seat 410  
inch  
W 27 D 27 H 16 Seat 16



**SYM180BEN**  
Symbol 180° Bench  
mm  
W 1380 D 410 H 410  
inch  
W 54.5 D 16 H 16



**SYM45BEN**  
Symbol 45° Curve Bench  
mm  
W 1020 D 510 H 410 Seat 410  
inch  
W 40 D 20 H 16 Seat 16



**HATSYMTRC**  
Hatch / Symbol Rectangular Table  
mm  
W 690 D 510 H 410  
inch  
W 27 D 20 H 16

### Table Top Options



White / Black MFMD  
with polished MDF edge



Oak Veneer  
with polished MDF edge




Walnut Veneer  
with polished MDF edge

### Base Options



White / Black Steel Legs  
Standard




RAL Powder Coated Legs  
naughtone Colours



Solid Oak / Walnut Legs

### Other Options



Two Tone  
Backrest and Arms / Seat

















# Symbol Modular Seating Technical Specifications

## Testing

Our chairs are designed to meet or exceed all EN performance requirements per **EN16139:2013**, which includes the following tests:

- Seat and back static load test
- Seat front edge static load test
- Vertical static load on back
- Foot rest and leg rest static load test
- Arm sideways static load test
- Arm downwards static load test
- Vertical upwards static load on arm rests
- Seat and back durability test
- Seat front edge durability test
- Leg forward static load test
- Leg sideways static load test
- Seat impact test
- Back impact test
- Arm impact test

## Structural Testing Certifications

### SYM12A

Symbol arm chair  
**BS EN16139:2013, level 1**  
 Static load 160kg

### SYM2LA

Symbol 2 seat sofa with left arm  
**BS EN16139:2013, level 1**  
 Static load 320kg

### SYM3NA

Symbol 3 seat sofa no arm  
**BS EN16139:2013, level 1**  
 Static load 320kg

### SYM90D

Symbol 90° curve seat  
**BS EN16139:2013, level 1**  
 Static load 320kg

## Flammability

The cold cure foam material has been tested to meet the following standards:

British standard  
**5852:2006 Part 2**

California Technical Bulletin  
**117-2013**

Italian standards  
**UNI 9175-CLASS 1.IM**

The flammability standard of the covering fabric is dependent on the choice made by the customer, details of the flammability rating of specific fabrics can be found on supplier's websites listed below.

- [www.kvadrat.dk](http://www.kvadrat.dk)
- [www.camirafabrics.com](http://www.camirafabrics.com)
- [www.butefabrics.com](http://www.butefabrics.com)
- [www.panaz.com](http://www.panaz.com)
- [www.maharam.com](http://www.maharam.com)
- [www.vescom.com](http://www.vescom.com)
- [www.ultrafabricsllc.com](http://www.ultrafabricsllc.com)
- [www.crestleather.com](http://www.crestleather.com)

## Servicing




If a component is damaged and needs replacing then please email our team with an image of the damaged part and reference your order number, we will be happy to facilitate any replacements.

## Warranty




naughtone offers a **10 Year** warranty across all products. Details on the terms and conditions of naughtones warranty can be found at [naughtone.com/warranty](http://naughtone.com/warranty)

# Symbol Single Seaters Technical Specifications




Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Overall Width	B Overall Depth	C Overall Height	D Seat Height	E Distance between Legs (Front)	F Distance between Legs (Side)	G Weight
1 <b>SYM1ST</b> Symbol Single Stool	510 mm 20 in	510 mm 20 in	410 mm 16 in	410 mm 16 in	440 mm 17.5 in	440 mm 17.5 in	21.02 kg 46.3 lbs
2 <b>SYMQBEN</b> Symbol Quarter Circle Bench	690 mm 27 in	690 mm 27 in	410 mm 16 in	410 mm 16 in			11.4 kg 25.1 lbs
3 <b>SYM1NA</b> Symbol No Arms	510 mm 20 in	690 mm 27 in	685mm 27in	410 mm 16 in	440 mm 17.5 in	620 mm 24.5 in	34.5 kg 76.1 lbs
4 <b>SYM11A</b> Symbol Corner Chair 1 Arm	690 mm 27 in	690 mm 27 in	685mm 27in	410 mm 16 in	620 mm 24.5 in	620 mm 24.5 in	37.4 kg 82.5 lbs
5 <b>SYM12A</b> Symbol Chair 2 Arms	870 mm 34.5 in	690 mm 27 in	685mm 27in	410 mm 16 in	800 mm 31.5 in	620 mm 24.5 in	30.9 kg 68.1 lbs

## Measuring Guide




## Symbol Two Seaters Technical Specifications




Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Overall Width	B Overall Depth	C Overall Height	D Seat Height	E Distance between Legs (Front)	F Distance between Legs (Side)	G Weight
<b>6</b> <b>SYM2BEN</b> Symbol 2 Seat Bench	1020 mm 40 mm	510 mm 20 mm	410 mm 16 mm	410 mm 16 mm	950 mm 37.5 in	620 mm 24.5 in	26.5 kg 58.4 lbs
<b>7</b> <b>SYM180BEN</b> Symbol 180° Bench	1380 mm 54.5 in	690 mm 27 in	410 mm 16 in	410 mm 16 in			19.3 kg 42.5 lbs
<b>8</b> <b>SYM2NA</b> Symbol 2 Seat No Arms	1020 mm 40 mm	690 mm 27 mm	685 mm 27 mm	410 mm 16 mm	950 mm 37.5 in	620 mm 24.5 in	33.8 kg 74.5 lbs
<b>9</b> <b>SYM2RA</b> Symbol 2 Seat Right Arm	1200 mm 47 mm	690 mm 27 mm	685 mm 27 mm	410 mm 16 mm	1130 mm 44.5 in	620 mm 24.5 in	36.9 kg 81.4 lbs
<b>10</b> <b>SYM2LA</b> Symbol 2 Seat Left Arm	1200 mm 47 mm	690 mm 27 mm	685 mm 27 mm	410 mm 16 mm	1130 mm 44.5 in	620 mm 24.5 in	36.9 kg 81.4 lbs
<b>11</b> <b>SYM22A</b> Symbol 2 Seat 2 Arms	1380 mm 54.5 mm	690 mm 27 mm	685 mm 27 mm	410 mm 16 mm	1310 mm 51.5 in	620 mm 24.5 in	43 kg 94.8 lbs

### Measuring Guide




## Symbol Three Seaters Technical Specifications




Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Overall Width	B Overall Depth	C Overall Height	D Seat Height	E Distance between Legs (Front)	F Distance between Legs (Side)	G Weight
<b>12</b> <b>SYM3BEN</b> Symbol 3 Seat Bench	1530 mm 60 mm	510 mm 20 mm	410 mm 16 mm	410 mm 16 mm	1445 mm 57 in	620 mm 24.5 in	29.9 kg 65.9 lbs
<b>13</b> <b>SYM3NA</b> Hatch 3 Seat No Arms	1530 mm 60 mm	690 mm 27 mm	685 mm 27 mm	410 mm 16 mm	1445 mm 57 in	620 mm 24.5 in	40 kg 88.1 lbs
<b>14</b> <b>SYM3RA</b> Symbol 3 Seat Right Arm	1710 mm 67.5 mm	690 mm 27 mm	685 mm 27 mm	410 mm 16 mm	1645 mm 65 in	620 mm 24.5 in	41.6 kg 91.7 lbs
<b>15</b> <b>SYM3LA</b> Symbol 3 Seat Left Arm	1710 mm 67.5 mm	690 mm 27 mm	685 mm 27 mm	410 mm 16 mm	1645 mm 65 in	620 mm 24.5 in	41.6 kg 91.7 lbs
<b>16</b> <b>SYM32A</b> Symbol 3 Seat 2 Arms	1890 mm 74.5 mm	690 mm 27 mm	685 mm 27 mm	410 mm 16 mm	1820 mm 72 in	620 mm 24.5 in	52.7 kg 116.2 lbs

### Measuring Guide




## Symbol 90° Curved Seating Technical Specifications




Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Overall Width	B Overall Depth	C Overall Height	D Seat Height	E Weight
<b>17</b> SYM90D Symbol 90° Curve Seat	1824 mm 72 in	866 mm 34 in	685 mm 27 in	410 mm 16 in	68 kg 149.9 lbs
<b>18</b> SYM90DBEN Symbol 90° Curve Bench	1620 mm 62 in	695 mm 27.5 in	410 mm 16 in	410 mm 16 in	59 kg 130.1 lbs
<b>19</b> SYM45D Symbol 45° Curve Seat	1025 mm 40.5 in	740 mm 29 in	690 mm 27 in	410 mm 16 in	22.6 kg 49.8 lbs
<b>20</b> SYM45BEN Symbol 45° Curve Bench	890 mm 35 in	570 mm 22.5 in	410 mm 16 in	410 mm 16 in	12.6 kg 27.8 lbs
<b>21</b> SYMX45D Symbol External 45° Seat	1560 mm 61.5 in	785 mm 31 in	690 mm 27 in	410 mm 16 in	29 kg 63.9 lbs

### Measuring Guide




## Hatch / Symbol Table Technical Specifications



Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Overall Width	B Overall Depth	C Overall Height	D Weight
<b>22</b> HATSYMTREC Hatch / Symbol Rectangular Table	690 mm 27 in	510 mm 20 in	410 mm 16 in	15.3 kg 34 lbs

### Measuring Guide



# Symbol Modular Seating Environmental Product Summary



## Environment Attributes

- naughtone is **FISP** and **ISO14001** certified
- naughtone is **FSC®certified**
- **43kg** total weight
- **16.9% Recyclable** (foam, legs, fixings and feet)
- **77.9% Reusable** (frame)
- **Packaging: 78.5% recycled cardboard 12.5% virgin fibre. 100% recyclable**
- **Indoor Advantage™ Gold** ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e-3-2014e (Credits 7.6.1, 7.6.2, 7.6.3)


These attributes can help you to achieve criteria towards **LEED, BREEAM, Ska** and **WELL** building certifications




# Symbol Modular Seating Environmental Product Summary

## Material Percentage Split


- 77.92% Beech Plywood
- 11.45% CMHR Foam
- 5.15% Fabric
- 3.71% Mild Steel
- 0.78% Stainless Steel
- 0.63% Mild Steel Zinc Plated
- 0.35% Polypropylene



## Post Consumer Recycled Content



## Recyclable Content



## Product Specific Design Statement

The Symbol seating range has a paired down aesthetic, designed to feel like part of the architecture and provide building blocks for furniture landscapes.

### Symbol sofa 2 seat 2 arms with wooden legs

With a firm upright sit and compact dimensions, Symbol is perfect for modern commercial environments where the product must look after itself and space is a premium.

Available with solid wood or steel leg options as standard and naughtone's wide fabric selection, Symbol can be tailored to suit any environment.

Symbol is constructed with a CNC plywood frame and high quality CMHR foams

The wooden legs are made from solid oak and solid walnut with a clear matt lacquered finish.

The steel legs are made from laser cut, folded mild steel with the individual laser cut components being folded allowing for minimal additional welding.

The frame components are finished with a zinc primed polyester powder coat.

## CSR Statement

naughtone has always considered the environment throughout our design and manufacturing process. We understand that as we continue to grow, so does our potential impact on our surroundings. As most of our raw materials are simple, we have great control over their sources, and are proud to be able to offer **FSC®certified** upholstered products and use recycled metals in our table ranges. The addition of our North American manufacturing provision also helps to keep manufacturing miles to a minimum, as our market continues to grow in the USA. Finally, naughtone offers a 'bring back' programme, where the client is able to return the product to our factory, where we will be happy to breakdown and recycle the parts for you.

Where sustainable sources are quoted, and a chain of custody is required by a customer this must be indicated on the purchase order to naughtone. A chain of custody requested after an order has been placed or delivered may be difficult to recover.

Figures stated in the Environmental product summary may vary based on model and options selected, we have based this document on a specific example when produced in the United Kingdom. Recycled content calculations are taken from supplier information and industry averages, material variables are likely to affect the figures which may result in higher or lower percentages.

This document will be reviewed and updated periodically and is subject to change without notice.



FSC® certified products available upon request



naughtone offers PEFC certified products





## 1 Design

Every aspect of the naughtone product ranges has been designed with the environment considered, from ethical material choice and production efficacy to storage efficiency and ease of disassembly.

Dense foam sets and resilient fabrics are selected for their longevity and effectiveness across sectors. Durable high quality finishes such as powder coated bases in a range of colours allow clients the freedom of finish options. Finish samples are available allowing clients to make informed decisions and retain to add to their finish libraries for future reference.

## 2 Raw Material

Local supply of raw materials is employed for the production of our products when possible, procured from suppliers that are quality inspected for extraction methods and meet the highest environmental standards.

## 3 Production

As many of our products are assembled by hand the energy expenditure wasted from machinery during the production process is kept to a minimum.

All fabrics are cut to ensure optimum efficiency with fabric usage and reduced waste consumption per unit.

All production sites have recycling facilities for any excess product that cannot be used elsewhere, which is then managed by a professional third party.

## 4 Distribution

Distribution of naughtone products generally occurs directly between the manufacturing site to the client. Production is localised when possible to the US or UK regions, reducing the carbon footprint and miles travelled for each product.

Many items are flat packed for delivery or shipped disassembled with efficient, minimised packaging; optimizing the transportation vessel space.

## 5 Usage

naughtone products do not require energy or water to function, thus no environmental exchange takes place and no waste is generated during the life of the product.

The only foreseeable need is the cleaning of the product for general maintenance. This includes regular vacuuming to remove dirt and dust particles on upholstery items, and using a dry or damp cloth to wipe non-upholstery items.

This is recommended for all products utilised under conditions of normal wear and is expected to have negligible environmental impacts.

## 6 End of Life

Although our products are durable and demonstrate timeless design, naughtone products are manufactured in such a way that they can be easily disassembled at the end of life and most of the componentry can be either recycled or re-used as applicable.

As a company we are also happy to accept the return of products, to help re-home or recycle furniture or components at the end of the products useful life.

### UK Showroom

6 Bakers Yard  
Clerkenwell  
London EC1R3DD  
T: +44 (0)20 389 22 788

### US Showroom

Suite 11-88  
222 Merchandise Mart Plaza  
Floor 11  
Chicago IL 60654

### naughtone HQ

Knaresborough Tech Park  
Manse Lane  
Knaresborough HG5 8LF

T: +44 (0) 1423 816 500  
E: sales@naughtone.com

[www.naughtone.com](http://www.naughtone.com)