



hush

Chair



About Hush

Hush takes inspiration from the past but responds to contemporary demands. The unmistakable wing-back form offers a welcoming familiarity and sanctuary, making it an ideal retreat for working, relaxing or having private conversations in.

Compliance

- SCS Indoor Advantage™ Gold Certificate
- FSC®certified products available upon request
- naughtone is FISP and ISO14001 certified
- Our chairs are designed to meet or exceed all EN performance requirements per BS EN 16139:2013
- Health Product Declaration (HPD) reports available

Sizes


All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch



HUSHBSL
Hush Chair
with Sled Base
mm
W 720 D 815 H 1160 Seat 430
inch
W 28.5 D 32 H 45.5 Seat 17



HUSHB4S
Hush Chair 4 Star Base
with Standard Glides
mm
W 720 D 815 H 1160 Seat 430
inch
W 28.5 D 32 H 45.5 Seat 17



HUSHBWD
Hush Chair
with Wooden Legs
mm
W 720 D 815 H 1160 Seat 430
inch
W 28.5 D 32 H 45.5 Seat 17

Base Finishes



Sled Base
White / Black
Standard



Sled Base
RAL Powder Coated
naughtone Colours



Sled Base
Chrome



4 Star Base
Black / White / Polished



4 Star Base
RAL Powder Coated
naughtone Colours



Turned Solid
Oak Legs



Turned Solid
Walnut Legs

Other Options




Two Tone
Outer / Inner

NaughtOne RAL Colours













Hush Chair Technical Specifications

Testing

Our chairs are designed to meet or exceed all EN performance requirements per **EN16139:2013**, which includes the following tests:

- Seat and back static load test
- Seat front edge static load test
- Vertical static load on back
- Foot rest and leg rest static load test
- Arm sideways static load test
- Arm downwards static load test
- Vertical upwards static load on arm rests
- Seat and back durability test
- Seat front edge durability test
- Leg forward static load test
- Leg sideways static load test
- Seat impact test
- Back impact test
- Arm impact test

Structural Testing Certifications

HUSHBSL

Hush chair on sled base
BS EN 16139:2013, Level 2
 Static load 200kg
ANSI/BIFMA X5.4 - 2012
 Static load 300 lb

HUSHBWD

Hush chair on wooden base
BS EN 16139,2013, Level 1
 Static load 160kg
ANSI/BIFMA X5.4 - 2012
 Static load 300 lb

HUSHB4S

Hush chair on 4 star base
BS EN 16139:2013, Level 2
 Static load 200kg

Flammability

The cold cure foam material has been tested to meet the following standards:

British standard
5852:2006 Part 2
 California Technical Bulletin
117-2013

Italian standards
UNI 9175-CLASS 1.IM

The flammability standard of the covering fabric is dependent on the choice made by the customer, details of the flammability rating of specific fabrics can be found on supplier's websites listed below.

- www.kvadrat.dk
- www.camirafabrics.com
- www.butefabrics.com
- www.panaz.com
- www.maharam.com
- www.vescom.com
- www.ultrafabricsllc.com
- www.crestleather.com

Servicing




If a component is damaged and needs replacing then please email our team with an image of the damaged part and reference your order number, we will be happy to facilitate any replacements.

Warranty




naughtone offers a **10 Year** warranty across all products. Details on the terms and conditions of naughtones warranty can be found at naughtone.com/warranty

Hush Chair Technical Specifications



Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Overall Width	B Overall Depth	C Overall Height	D Seat Height	E Height from seat to top	F Weight
1 HUSHBSL Hush on Sled Base	720 mm 28.5 in	815 mm 32 in	1160 mm 45.5 in	430 mm 17 in	700 mm 27.5 in	26.3 kg 58 lbs
2 HUSHBWD Hush on Wooden Base	720 mm 28.5 in	815 mm 32 in	1160 mm 45.5 in	430 mm 17 in	700 mm 27.5 in	27.5 kg 60.6 lbs
3 HUSHB4S Hush on 4 Star Base	720 mm 28.5 in	815 mm 32 in	1160 mm 45.5 in	430 mm 17 in	700 mm 27.5 in	24.6 kg 54.2 lbs

Measuring Guide



Hush Chair Environmental Product Summary



Environment Attributes

- naughtone is **FISP** and **ISO14001** certified
- naughtone UK production facility is **ISO14001:2015** certified
- naughtone is **FSC® certified**
- **26.3kg** total weight
- **31.3% Recyclable** (base, foam, fixings and feet)
- **48.2% Reusable** (plywood frame)
- **14.6% Recycled Content** (base and fixings)
- Packaging: **78.5%** recycled cardboard 21.5% virgin fibre. **100%** Recyclable
- **Indoor Advantage™ Gold** ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e-3-2014e (Credits 7.6.1, 7.6.2, 7.6.3)
- **Health Product Declarations** (HPD) reports available


These attributes can help you to achieve criteria towards **LEED, BREEAM, Ska** and **WELL** building certifications




Hush Chair Environmental Product Summary

Material Percentage Split


- 48.18% Beech Plywood
- 23.13% Mild Steel
- 20.48% Fabric
- 6.49% CMHR Foam
- 0.78% Polypropylene
- 0.52% Mild Steel Zinc Plated
- 0.21% PTFE
- 0.21% Stainless Steel



Post Consumer Recycled Content



Recyclable Content



Product Specific Design Statement

The Hush chair is available with three different base options but for this document we have used:

Hush chair with sled base

The Hush chair inner shell is constructed from one solid moulded plywood form with the frame then being covered with CMHR foams and fully upholstered with fabric.

The Hush shell and base is assembled together with dry fixings allowing the upholstered shell to be easily broken down into separate materials with hand tools.

The Hush sled base is machine bent from mild steel rod, then weld jointed together and hand polished to a smooth surface. The steel rod is then finished with either chrome plating or polyester powder coat.

CSR Statement

naughtone has always considered the environment throughout our design and manufacturing process. We understand that as we continue to grow, so does our potential impact on our surroundings. As most of our raw materials are simple, we have great control over their sources, and are proud to be able to offer **FSC® certified** upholstered products and use recycled metals in our table ranges. The addition of our North American manufacturing provision also helps to keep manufacturing miles to a minimum, as our market continues to grow in the USA. Finally, naughtone offers a 'bring back' programme, where the client is able to return the product to our factory, where we will be happy to breakdown and recycle the parts for you.

Where sustainable sources are quoted, and a chain of custody is required by a customer this must be indicated on the purchase order to naughtone. A chain of custody requested after an order has been placed or delivered may be difficult to recover.

Figures stated in the Environmental product summary may vary based on model and options selected, we have based this document on a specific example when produced in the United Kingdom. Recycled content calculations are taken from supplier information and industry averages, material variables are likely to affect the figures which may result in higher or lower percentages.

This document will be reviewed and updated periodically and is subject to change without notice.



FSC® certified products available upon request



naughtone offers PEFC certified products



Hush 4 Star Environmental Product Summary



Environment Attributes

- naughtone is **FISP** and **ISO14001** certified
- naughtone UK production facility is **ISO14001:2015** certified
- naughtone is **FSC® certified**
- **32.4kg** total weight
- **37.9% Recyclable** (base, foam, fixings and feet)
- **50% Reusable** (plywood frame)
- **12.8% Recycled Content** (base and fixings)
- Packaging: **78.5%** recycled cardboard 21.5% virgin fibre. **100%** Recyclable
- **Indoor Advantage™ Gold** ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e-3-2014e (Credits 7.6.1, 7.6.2, 7.6.3)
- **Health Product Declarations** (HPD) reports available


These attributes can help you to achieve criteria towards **LEED, BREEAM, Ska** and **WELL** building certifications




Hush 4 Star Environmental Product Summary

Material Percentage Split


- 50.04% Beech Plywood
- 23.82% Aluminium
- 12.57% CMHR Foam
- 12.05% Fabric
- 0.87% Mild Steel
- 0.49% Mild Steel Zinc Plated
- 0.09% Stainless Steel
- 0.07% Polyethylene



Post Consumer Recycled Content



Recyclable Content



CSR Statement

naughtone has always considered the environment throughout our design and manufacturing process. We understand that as we continue to grow, so does our potential impact on our surroundings. As most of our raw materials are simple, we have great control over their sources, and are proud to be able to offer **FSC® certified** upholstered products and use recycled metals in our table ranges. The addition of our North American manufacturing provision also helps to keep manufacturing miles to a minimum, as our market continues to grow in the USA. Finally, naughtone offers a 'bring back' programme, where the client is able to return the product to our factory, where we will be happy to breakdown and recycle the parts for you.

Product Specific Design Statement

The Hush chair is available with three different base options but for this document we have used:

Hush Chair on 4 Star Base

The Hush chair inner shell is constructed from one solid moulded plywood form with the frame then being covered with CMHR foams and fully upholstered with fabric.

The Hush shell and base is assembled together with dry fixings allowing the upholstered shell to be easily broken down into separate materials with hand tools.

The Hush 4 star base and top plate are made from cast aluminium and are available in a polyester powder coated finish. The knock in glides can be easily removed for recycling.



FSC® certified products available upon request



naughtone offers PEFC certified products



Where sustainable sources are quoted, and a chain of custody is required by a customer this must be indicated on the purchase order to naughtone. A chain of custody requested after an order has been placed or delivered may be difficult to recover.

Figures stated in the Environmental product summary may vary based on model and options selected, we have based this document on a specific example when produced in the United Kingdom. Recycled content calculations are taken from supplier information and industry averages, material variables are likely to affect the figures which may result in higher or lower percentages.

This document will be reviewed and updated periodically and is subject to change without notice.

Hush Chair Environmental Product Summary



Environment Attributes

- naughtone is **FISP** and **ISO14001** certified
- naughtone UK production facility is **ISO14001:2015** certified
- naughtone is **FSC® certified**
- **27.5kg** total weight
- **33.9% Recyclable** (base, foam, fixings and feet)
- **38.6% Reusable** (plywood frame)
- **17.6% Recycled Content** (base and fixings)
- Packaging: **78.5%** recycled cardboard 21.5% virgin fibre. **100%** Recyclable
- **Indoor Advantage™ Gold** ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e-3-2014e (Credits 7.6.1, 7.6.2, 7.6.3)
- **Health Product Declarations** (HPD) reports available


These attributes can help you to achieve criteria towards **LEED, BREEAM, Ska** and **WELL** building certifications




Hush Chair Environmental Product Summary

Material Percentage Split


- 32.4% Beech Plywood
- 28.0% Mild Steel
- 27.5% Fabric
- 6.1% Solid Oak
- 4.4% CMHR Foam
- 0.7% Stainless Steel
- 0.5% Polypropylene
- 0.1% Felt
- 0.1% PTFE
- 0.1% Mild Steel Zinc Plated



Post Consumer Recycled Content



Recyclable Content



Product Specific Design Statement

The Hush chair is available with three different base options but for this document we have used:

Hush Chair on Wooden Base

The Hush chair inner shell is constructed from one solid moulded plywood form with the frame then being covered with CMHR foams and fully upholstered with fabric.

The Hush shell and base is assembled together with dry fixings allowing the upholstered shell to be easily broken down into separate materials with hand tools.

CSR Statement

naughtone has always considered the environment throughout our design and manufacturing process. We understand that as we continue to grow, so does our potential impact on our surroundings. As most of our raw materials are simple, we have great control over their sources, and are proud to be able to offer **FSC® certified** upholstered products and use recycled metals in our table ranges. The addition of our North American manufacturing provision also helps to keep manufacturing miles to a minimum, as our market continues to grow in the USA. Finally, naughtone offers a 'bring back' programme, where the client is able to return the product to our factory, where we will be happy to breakdown and recycle the parts for you.

Where sustainable sources are quoted, and a chain of custody is required by a customer this must be indicated on the purchase order to naughtone. A chain of custody requested after an order has been placed or delivered may be difficult to recover.

Figures stated in the Environmental product summary may vary based on model and options selected, we have based this document on a specific example when produced in the United Kingdom. Recycled content calculations are taken from supplier information and industry averages, material variables are likely to affect the figures which may result in higher or lower percentages.

This document will be reviewed and updated periodically and is subject to change without notice.



FSC® certified products available upon request



naughtone offers PEFC certified products





1 Design

Every aspect of the naughtone product ranges has been designed with the environment considered, from ethical material choice and production efficacy to storage efficiency and ease of disassembly.

Dense foam sets and resilient fabrics are selected for their longevity and effectiveness across sectors. Durable high quality finishes such as powder coated bases in a range of colours allow clients the freedom of finish options. Finish samples are available allowing clients to make informed decisions and retain to add to their finish libraries for future reference.

2 Raw Material

Local supply of raw materials is employed for the production of our products when possible, procured from suppliers that are quality inspected for extraction methods and meet the highest environmental standards.

3 Production

As many of our products are assembled by hand the energy expenditure wasted from machinery during the production process is kept to a minimum.

All fabrics are cut to ensure optimum efficiency with fabric usage and reduced waste consumption per unit.

All production sites have recycling facilities for any excess product that cannot be used elsewhere, which is then managed by a professional third party.

4 Distribution

Distribution of naughtone products generally occurs directly between the manufacturing site to the client. Production is localised when possible to the US or UK regions, reducing the carbon footprint and miles travelled for each product.

Many items are flat packed for delivery or shipped disassembled with efficient, minimised packaging; optimizing the transportation vessel space.

5 Usage

naughtone products do not require energy or water to function, thus no environmental exchange takes place and no waste is generated during the life of the product.

The only foreseeable need is the cleaning of the product for general maintenance. This includes regular vacuuming to remove dirt and dust particles on upholstery items, and using a dry or damp cloth to wipe non-upholstery items.

This is recommended for all products utilised under conditions of normal wear and is expected to have negligible environmental impacts.

6 End of Life

Although our products are durable and demonstrate timeless design, naughtone products are manufactured in such a way that they can be easily disassembled at the end of life and most of the componentry can be either recycled or re-used as applicable.

As a company we are also happy to accept the return of products, to help re-home or recycle furniture or components at the end of the products useful life.

UK Showroom

6 Bakers Yard
Clerkenwell
London EC1R3DD
T: +44 (0)20 389 22 788

US Showroom

Suite 11-88
222 Merchandise Mart Plaza
Floor 11
Chicago IL 60654

naughtone HQ

Knaresborough Tech Park
Manse Lane
Knaresborough HG5 8LF

T: +44 (0) 1423 816 500
E: sales@naughtone.com

www.naughtone.com